



Pblt Of Atlanta, Llc (P801)
172 Van Mar Blvd.
Jackson, Georgia 30233

Miller Industries
8503 Hilltop Dr
Ooltewah, Tennessee 37363
United States of America

David Marshall
Cell Phone:
Office Phone: (404)592-9980
Email: dmarshall@peteatlanta.com

VINCE TIANO

Vehicle Summary

	Unit	Chassis
Model:	Model 537	Fr Axle Load (lbs): 12000
Type:	Full Truck	Rr Axle Load (lbs): 21000
Description 1:	MODA MULTI DECK	G.C.W. (lbs): 38000
Description 2:	224 CA	
	Application	Road Conditions:
Intended Serv.:	City Delivery	Class A (Highway) 100
Commodity:	Other Commodity	Class B (Hwy/Mtn) 0
		Class C (Off-Hwy) 0
		Class D (Off-Road) 0
	Body	Maximum Grade: 6
Type:	Flatbed	Wheelbase (in): 292
Length (ft):	20	Overhang (in): 82.1
Height (ft):	13.5	Fr Axle to BOC (in): 67.5
Max Laden Weight (lbs):	1000	
	Trailer	Cab to Axle (in): 224.5
No. of Trailer Axles:	0	Cab to EOF (in): 306.6
Type:		Overall Comb. Length (in): 414.1
Length (ft):	0	
Height (ft):	0	
Kingpin Inset (in):	0	
Corner Radius (in):	0	
	Restrictions	Special Req.
Length (ft):	40	
Width (in):	102	
Height (ft):	13.5	

Approved by:

Date:

Note: All sales are F.O.B. designated plant of manufacture.

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
Base Model				
0005371	S	Model 537 The Peterbilt Model 537 is highly versatile to take on the big jobs. It is available as a Class 7 truck or tractor with a GVW up to 33,000 lbs. With a full range of suspensions and an available all-wheel-drive configuration, the 537 is the perfect match for applications such as wrecker, tanker, beverage delivery, and municipal utilities just about any job you can throw at it.	9,870	
0091200	S	Other Commodity		0
0093340	S	City Delivery Truck or tractor which hauls freight, typically operating within a 100-mile radius, on public streets and highways and other paved surfaces. Typically includes package and freight delivery.		0
0095020	O	Flatbed		0
0098010	O	California Registry California Registry Required for all vehicles that will be registered in the State of California.		0
Configuration				
0200700	S	Not Applicable Secondary Manufacturer		0
Frame & Equipment				
0514050	O	10-3/4" Steel Rails 385-402" 10.75x3.5x.375 Dimension, 2,136,000 RBM; Yield Strength: 120,000 psi. Section Modulus: 17.8 cubic inches. Weight: 1.74 lbs/inch pair	715	
0611300	O	Heavy Duty 5-Piece Crossmember BOC IPO Standard Class 5, 6, 7		20
0611790	O	Aluminum Frame Rail Crossmembers Excludes suspension		-7
0612230	O	Custom Wheelbase or Overhang Engineering approval may be required.		0
0644090	S	EOF Square without Crossmember End-of-frame square without crossmember. For use with body builder installed crossmember.		0
0651010	O	Peterbilt Rear Mudflaps and Straight Hangers Mudflaps aid in protecting the frame and undercarriage from road salt, grime and debris that can cause rust and corrosion. Mud flaps also shield other vehicles from gravel, rocks and road spray.		25
Front Axle & Equipment				
1011875	O	Dana Spicer E1202IL 12,000 lb, 3.5 in. Drop Axle is designed for applications with a gross axle weight rating (GAWR) of 12,000 lb. The axles have exclusive one-piece forged design knuckle including steer arm, tie rod arm and spindle. This feature helps in greater durability and reduced maintenance.		0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
1111190	0	Taper Leaf Springs, Shocks 12,000 lb Hendrickson taper leaf springs, shocks for 12,000 lbs.		169
1243040	S	Power Steering Sheppard HD94 Sheppard HD94 power steering gear is a light weight version of heavy duty line-haul power steering gear. For use with 10,000 to 13,200 lb. axle ratings.		0
1250180	0	Power Steering Reservoir Frame Mounted The power steering reservoir is a steering system that eases drivability by applying hydraulic pressure to the steering gear.		0
1354840	S	PHP10 Iron Preset PLUS Hubs PHP10 iron Preset PLUS hubs have a fully integrated spindle nut design, an optimized wheel spacer, magnetic fill plug on front and trailer hubs for inspection of metal particles in lubricant, with a long life oil seal and bearings are pre-adjusted. Use with Front Axle.		0
1380070	0	Greasable Front Spring Pins		0
1380240	0	Dana Spicer Wide Track IPO Standard Dana Spicer wide track front axles offer added stability and deliver greater turn angles. 71in KPI IPO 69in for E1202, E1322, E1462, D2000F front axles.		15
1380260	S	Bendix Air Cam Front Drum Brakes 16.5x5 For use with 10,000 lbs to 14,600 lbs steer axles. Includes automatic slack adjusters & outboard mounted brake drums.		0
1391410	S	Gusseted Cam Brackets, Steer Axle		0
1391470	U	5mm Front Springs Spacer Blocks		0
1392970	0	Heavy Duty Cam Bushings, Steer Axle		0

Rear Axle & Equipment

1513270	0	Dana Spicer S21-172 Single Axle, 21000 lb	94
1616300	S	PHP10 Iron PreSet PLUS Hubs	0
1680490	0	Gusseted Cam Brackets, Drive Axle(s)	2
1680500	S	SBM Valve Full trucks require a spring brake modulation (SBM) system for emergency braking application. This system requires an SBM valve and a relay valve with spring brakes on the rear axles. The SBM valve allows the foot valve to operate the rear axle spring brakes if a failure exists in the rear air system.	0
1680550	0	Upsize Parking Brakes	0
1680795	0	Diff Lock, Single Drive Axle with Speed Interlock	30
1680950	S	Stability System Not Selected Or Not Available	0
1682430	S	Anti-Lock Braking System (ABS) 4S4M	0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
		ABS-6. Includes air braking system.		
1683245	0	Tire Pressure Monitoring System		25
1684200	S	Synthetic Axle Lubricant All Axles Peterbilt heavy duty models include Fuel Efficient Cognis EMGARD FE75W-90 which provides customers performance advantages over current synthetic lubricants with reduced gear wear and extended maintenance intervals, resulting in increased uptime. In addition, the lubricant provides improved fluid flow to protect gears in extreme cold conditions and withstand the stress from high temperatures, extending component life.		0
1687020	0	Bendix Air Cam Rear Drum Brakes 16.5x8.6 Bendix Air Cam Rear Drum Brakes to fit all heavy haul, construction, refuse and highway truck and tractor applications. Includes Automatic Slack Adjusters & Outboard Mounted Brake Drums. Refer to TSB 11-57 for more information.		5
1688110	0	Heavy Duty Cam Bushings, Drive Axle(s)		0
1704300	0	Ratio 4.30 Rear Axle		0
1811140	0	Peterbilt Low Air Leaf21,000 lb, Light Weight		-55
1922260	0	Dash Mtd Dump Switch with Indicator Light Dash mounted <u>dump</u> switch with indicator <u>light</u> for <u>suspension</u> .		2
Engine & Equipment				
2074808	0	PACCAR PX-9 360@2000 GOV@2200 1150@1200 Productivity (2024 Emissions)		545
		N21350 C121 75.... Maximum Accelerator Pedal Ve N21370 C128 75.... Maximum Cruise Speed (P059) N21460 C132 1150.. Max PTO Speed (P046) N21520 C133 600...limer Setting (P030) N21610 C188 40 Low Ambient Temperature Thre N21620 C189 60 Intermediate Ambient Tempera N21630 C190 80 High Ambient Temperature Thr N21550 C206 35 Engine Load Threshold (P516) N21340 C209 100 ... Hard Maximum Speed Limit (P1 N21510 C225 NO Enable Idle Shutdown Park Br N21450 C231 NO Gear Down Protection (P026) N21570 C233 YES ... Idle Shutdown Manual OVERRUL N21440 C234 NO Engine Protection Shutdown (P N21480 C238 NO Auto Engine Brake in Cruise N21470 C239 NO Cruise Control Auto Resume (P N21430 C333 0..... ReseM Speed Limit Offset (P N21410 C334 0..... Maximum Cycle Distance (N202 N21590 C382 YES ... Enable Hot Ambient Automatic N21500 C395 0..... Expiration Distance (N209) N21530 C396 YES ... Enable Impending Shutdown Wa N21540 C397 60....limer For <u>Impending</u> Shutdown		

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
		N21320 C399 100 ... Standard Maximum Speed Limit N21400 C400 252 ... Reserw Speed Function Reset N21420 C401 10.... Maximum Activ Distance (N20 N21330 C402 0..... Expiration Distance (N207)		
2091120	S	EMUX Electronics Architecture		0
2091310	O	Engine Idle Shutdown Timer Disabled		0
2091315	O	Enable EIST Ambient Temp Overrule		0
2091372		Eff EIST NA Expiration Miles		0
2091640		Effective VSL Setting NA		0
2092015	O	Typical Operating Speed 70 MPH		0
2092033	O	Powertrain Optimized for Balance Best analysis for whicles where seNce includes frequent start and stop cycles.		0
2140200	O	CARB Engine Idling Compliance PACCAR PX-7, PX-9 and MX, Cummins X15 and ISX diesel engines will include the required factory installed serialized sticker on the driver door to identify them as meeting the NOx idling standard.		0
2140320	U	Remote Throttle & Wiring EOF	4	
2140450	O	Remote PTO/Throttle, 12-Pin Eng Bay Remote Control Provision		0
2140660	O	CARB Emission Warranty		0
2140700	S	EPA Engine Idling Compliance		0
2513060	S	PACCAR 160 Amp Alternator, Brushed PACCAR 160 AMP alternator, brushed producing 160 Amps at road speed and 100 Amps at idle.		0
2521090	O	Immersion Type Block Heater 110-120V Standard location is left-hand under cab, Model 520 is in bumper, and for Model 220 it is at the driver step. Plug includes a weather-proof cover that protects the receptacle. This pre-heater keeps the coolant in the engine block from freezing when the engine is not running.	2	
2522110	O	PACCAR 12V Starter, N/A PACCAR MX Engines PACCAR 12-10lt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serv;ceability, 12-10lt light system w/circuit protection circuits number & color coded.		0
2538030	S	2 PACCAR Premium 12V Starting Batteries 2000 CCA Threaded stud type terminal. Stranded copper battery cables are double aught (00) or larger to reduce resistance.		0
2539410	O	Battery Jumper Terminal Mounted Under Hood LH Frame Rail. Not available with PX-7 engines.	4	

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
2539720	0	Low Voltage Disconnect System		0
2539840	0	MD - Battery Disconnect Switch Mounted on Battery Box		9
2621030	0	Borg Warner On/Off Fan Clutch On/Off Fan Clutch provides increased torque to provide engine cooling to prevent the engine from overheating.		0
2723210	S	18.7 CFM Air Compressor N/A X15. Furnished on engine. Teflon lined stainless steel braided compressor discharge line.		0
2812210	S	VGT Exhaust Brake (Variable Geometry Turbo). Provides approximately 90-100 HP of retardation and is part of the turbocharger.		0
2921110	S	PACCAR Fuel/Water Separator Standard Service PACCAR Fuel/Water separator standard service intervals. High efficiency media protects critical engine components.		0
2921210	S	No Fluid Heat Option for Fuel Filter		0
2921320	0	12V Heat for Fuel Filter Fuel filter heaters help ensure a seamless flow of diesel from the tank to the combustion chamber. Eliminating any possibility of moisture freezing within the fuel filter while simultaneously increasing the fuel temperature for atomization within the engine.		0
3010400	0	Engine Protection Shutdown w/ Label Includes oil pressure, oil temperature, coolant temperature, and intake manifold temperature.		0
3114270	S	High Efficiency Cooling System Cooling module is a combination of steel and aluminum components, with aluminum connections to maximize performance and cooling capability. Silicone radiator & heater hoses enhance value, durability, & reliability. Constant tension band clamps reduce leaks. Chevron Delo Extended Life Coolant (NOAT) extends maintenance intervals reducing maintenance costs. Anti-freeze effective to -30 degrees F helps protect the engine. Low coolant level sensor warns of low coolant condition to prevent engine damage. Radiator Size by Model: 520 1202 sq in, 579 1456.9 sq in, 535/536/537/548 949.3 sq in, 537/548 VOE 1000.3 sq in, 389 HH 1604 sq in, 567 1379 sq in.		0
3211140	S	(1) Air Cleaner Engine Mounted		0
3367180	S	Exhaust Single RH Horizontal DPF/SCR RH Under Frame, Single Module		0
Transmission & Equipment				
4052920	0	Allison 3000 RDS-P Transmission, Gen 6 Rugged Duty Series	459	
4211590	0	SPL 170 HD-XL Driveline, 3 Midship Bearings	305	
4230090	0	PTO F/O Muncie		0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
4233910	0	(1) Dash Mounted Single Acting EOH PTO Control Electric- <u>o</u> le-hydraulic, spec'ing PTO switch does not ensure the PTO will fit. Sends <u>signal</u> to Allison to <u>engage</u> PTO.		1
4252890	0	Allison FuelSense Not Desired Dynamic Shift Sensing		0
4252940	0	Allison Neutral At Stop Neutral at Stop features and benefits: Reduces or eliminates the load on the engine when vehicle is stopped, can help lower fuel consumption and CO2 emissions, and is included in FuelSense 2.0 Plus and Max packages only.		0
4256640	0	Allison 6-Speed Configuration, Close Ratio Gears 3000 Series Transmissions.		0
4256920	0	Dash Mounted Push Button Shifter Available with Allison transmissions		3
4257110	0	LH Mounted Trans PTO Provisions		0
Air & Trailer Equipment				
4510190	S	Bendix AD-HF Air Dryer, Heater Bendix AD-HF air filters protects the life of your engine system and components. Prolen PuraGuard oil coalescing technology in the air dryer cartridge. This oil coalescing filter ensures the removal of oil and oil aerosols before they can contaminate the moisture removing desiccant.		0
4520420	0	Pull Cords All Air Tanks		0
4540420	S	Nylon Chassis Hose		0
4543330	0	Polished Aluminum Air Tanks Outside Frame Rails Exposed air tanks outside the frame rails will be polished aluminum. Air tanks mounted inside the frame rails or covered by other components will be either painted aluminum (4543340) or painted steel (4543320) air tanks <u>depending</u> on air tank <u>option</u> selected.		0
4543340	0	Aluminum Painted Air Tanks All air tanks are aluminum with painted finish except when Code 4543330 Polish Aluminum Air Tanks is also selected (then exposed air tanks outside the frame rails will be polished aluminum). Peterbilt will determine the optimal size and location of required air tanks. Narratives requesting a specific air tank size or location will not be accepted for factory installation. See ECAT to determine number or location of air tanks installed.		45
4610920	0	Self-Returning Brake Hand Valve Dash mounted controls		0
4611930	0	Body Connections 5 BOC Junction box contains light and power circuits for body connections located 5' from back-of-cab		4
4612900	0	AE Connection EOF, 7-Way Socket, Connection EOF <u>Strapped to the rail</u>		15

Tires & Wheels

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
5033650	0	FF: GY 18ply 275/70R22.5 Endurance RSA		-18
5133650	0	RR: GY 18ply 275/70R22.5 Endurance RSA		-36
5190004	0	Code-rear Tire Qty 04		0
5220770	0	FF: Alcoa ULA187 22.5X8.25 High Polish Alum Ultra One wheel with MagnaForce alloy.		-50
5320770	0	RR: Alcoa ULA187 22.5X8.25 High Polish Alum Ultra One wheel with MagnaForce alloy.		-100
5390004	0	Code-rear Rim Qty 04		0
5409680	0	Schrader Double Sealing Extensions Schrader on tire valve extensions provide a seal against contaminants while extending the valve mouth for convenient access. Fits standard .305-32" valve cap threads. Maximum operating pressure, 150 psi.		0
Fuel Tanks				
5581040	S	D-Shaped Aluminum 50 Gallon Fuel Tank RH U/C Non-slip step RH under cab		0
5585040	0	D-Shaped Alum 50 Gal Fuel Tank LH U/C Additional Non-slip step LH under cab		-10
5601050	S	Location RH U/C 50 Gallon		0
5602050	0	Location LH U/C 50 Gallon		0
5650490	0	Fuel Cooler Required with single fuel tank		15
5650550	0	Polish (2) Non-Slip Fuel Tank Steps,U/C Tank Only		0
5650820	0	Polish (2) Aluminum Fuel Tanks		0
5652830	0	Polish All Fuel / Hydraulic Tank Straps Does not apply to rectangular DEF tank straps		0
5652900	0	DEF Tank Mounted LH Under Cab		0
5653000	0	Polished Stainless Steel Cover For DEF Tank		0
5653130	0	DEF To Fuel Ratio 1:1		0
5655019	S	DEF Tank Small, HD 14 Gal 2.1M MD 5.5 Gal		0
Battery Box & Bumper				
6010670	0	Aluminum Space Saver Battery Box LH BOC		84

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
		Battery access from side		
6030150	0	Rubber Battery Pad In Bottom of (1) Battery Box		4
		Mat in box that holds batteries only		
6030540	0	Polish Battery/Tool Box(s)		0
		Aftertreatment Cab Entry, complete		
6121020	0	Aero Bumper, Steel 3-Piece, Bright Finish		20
		Warning Due to a new legal regulations, all New Medium Duty trucks require headlights to be located in the bumper when the chassis height is GREATER than the following chassis height:		

Measurement to bottom of frame at front of frame: for the 107 Aero Hood 32.6, for the 109 Aero Hood 31.4, for the 109 Vocational Hood 26.7. Work with applications if your chassis height is unacceptable.

Cab & Equipment

6510180	S	Peterbilt Aerodynamic 107in BBC SMC Hood		0
		With molded charcoal crown and aluminum cab.		
6540160	O	Thermal Insulation Package in Cab		2
		The thermal insulation package is designed to make the cab thermally efficient in extreme temperatures. The model 520 adds insulation surrounding the do9house to reduce en9ine heat transmitted to the cab.		
6540740	O	Peterbilt Keyless Entry		2
		The Peterbilt key fob functions to lock or unlock the whicle. With a single click, the driwrs door is locked or unlocked and with a double click all doors are locked or unlocked. The third button, depicted by a picture of a lamp, will start the exterior light self-test sequence, helpful when performing the daily pre-trip inspection.		
6800180	O	Hood Crown - Bright Finish ipo Molded Gray		0
6914190	O	Sears Premium Driver Seat		4
6924180	O	Sears Passenger Seat		0
6930060	O	Driver Seat Heated		4
		Includes heating elements in the lower cushion and backrest. Temperature is preset for optimum comfort and controlled by a high/low switch and an on/off switch next to the adjustment valws on the seat.		
6930230	O	Seat Skirt - All Eligible Air Seats		2
6930580	O	Drivers Armrests - LH & RH		4
6939400	S	Air Ride Driver		0
6939420	O	High Back Driver		0
6939470	S	Vinyl Driver		0
6939500	O	Air Ride Passenger		0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
6939520	0	High Back Passenger		0
6939570	S	Vinyl Passenger		0
7000025	0	Steering Wheel With Multi-Function Includes Peterbilt logo on horn button , audio \olume, seek, mute and mode button on LH pod with cruise control on/off/cancel, set/resume and accelerate/coast on the right eod.		4
7000065	0	Metal Interior Door Panel Kick Plates		2
7001520	S	Adjustable Steering Column - Tilt/Telescope		0
7036130	0	Probilt Interior Charcoal Gray - Curved Roof		0
7110680	0	Exterior Cab Entry Grabhandle Textured; NFPA compliant. Available on Day Cab specifications only.		0
7210420	0	Dark Window Tint IPO Standard Tint - Day Cab		0
7210510	0	3-Piece Glass Rear Cab Window, All Pieces Fixed		12
7210540	S	Day Cab Rear Window Day cab rear window flush to back of cab.		0
7230060	S	1-Piece Curved Windshield		0
7230360	S	Power Door Locks and Power Window Lifts Standard		0
7322010	S	Combo Fresh Air Heater/Air Conditioner With radiator mounted condenser, dedicated side window defrosters, Bi-Level Heater/Defroster Controls, 54,500 BIU/HR, and silicone heater hoses.		0
7322130	0	Cup Holder (Floor Mounted) Includes two standard-size drink holders and one extra-large jugholder, coin tray, and clipboard-size storage area.		4
7410040	0	Outside Sunvisor - Stainless Steel Not available with 2.1 M high roof sleeper.		4
7510060	0	Aero Rear View Mirror Housing, Bright Finish		3
7514010	0	Peterbilt Aero Rear View Mirror, Motorized Includes top mirror with motorized, adjustable dual axis heated glass. Bottom mirror is an integrated complex surface. Includes black textured arms with breakaway feature.		3
7514050	S	Look Down Mirror Over Passenger Door with Black Housing		0
7620040	0	(2) Air Horns Round, 26" Length Roof mounted. Round horn shield.		16
7721050	0	Satellite Radio Requires USB port and bluetooth for phone and audio.		0
7722120	0	ConcertClass, AM/FM, Weatherband, 3.5 Aux		11

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
7725710	0	Standard Speaker Package For Cab (2) Speakers		4
7728040	0	Bluetooth Phone and Audio Requires USB Port		0
7728050	0	USB Port		0
7740180	0	Cobra 29LX CB Radio Mounted Center Of Header With weatherband. Mounted in center of header, sound tracker & illuminated panel. Includes wiring, microphone clip, & speaker. Must select antenna(s) option.	10	
7743030	0	CB Antenna Mounting, Dual LH/RH Mirror		2
7788335	S	Global Telematics Hardware		0
7851480	S	Peterbilt Electric Windshield Wipers With Intermittent Feature.		0
7852020	0	Cab Air Suspension		15
7852050	0	Auto Reset Circuit Protection Daycab and Sleeper		0
7900090	0	Triangle Reflector Kit, Ship Loose Fluorescent triangle emergency road flares are designed to meet and exceed all DOT standards.		13
7900310	0	Fire Extinguisher, Mounted Outboard Driver Seat Hazmat approval UL listed/rated ABC		9
7900950	0	Backup Alarm Wiring To BOC, 5 Ft Additional Wire		6
8011850	0	Transmission Oil Temperature (Main) Located in Digital Cluster Display.		0
8021800	0	Air Filter Restriction Pressure Gauge Located in Digital Cluster Display		0
8021810	0	Brake Application Air Pressure (Tractor) Located in Digital Cluster Display.		0
8021860	0	Suspension Air Pressure 1 (Load) Located in Digital Cluster Display		0
8041200	0	Dual Scale Speedometer MPH Over KPH		0
8070000	0	Disable Brake Light With Engine Brake		0
8070390	0	Engine Hourmeter Gauge Located in Digital Cluster Display		0
8070450	0	Engine PTO Hourmeter Gauge Located in Digital Cluster Display		0
8070810	0	Engine Manifold Pressure (Turbo Boost) Located in Digital Cluster Display		0
8070820	0	Engine Percent Torque Located in Digital Cluster Display		0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



Sales Code	Std/ Opt	Description	\$ List	Weight
8070860	S	Main Instrumentation Panel Digital Cluster 7' Display includes: Physical (Analog) - Speedometer, Tachometer, Oil Pressure, Coolant Temp and Display Gauges - Fuel Level, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure for air brake trucks.		0
8070940	O	Voltmeter Gauge (MD/520 Only) Located in Digital Cluster Display		0
8076110	O	(5) Additional Dash Switches, Wiring At BOC/BOS		4
8111110	S	Headlights Composite Fender Mounted Integral DRUPark, Turn, and Side Marker		0
8121210	O	(5) Marker Lights, Chrome Housing Aero LED		0
8131560	O	(2) Peterbilt Fog Lights Recessed in Bumper		6
8133450	O	(2) Brackets F/O Beacon/Strobe, Roof Mounted (2) brackets for furnished by owner beacon / strobe lights roof mounted. Located above each door toward rear, includes switch and <u>wiring</u> .		4
8134160	S	Self-Canceling Turn Signal		0
8140080	S	LED Stop/Turn/Tail/Backup Bracket mounted left-hand / right-hand end of frame		0
8140850	S	Moveable EOF Crossmember For Mounting Tail Lights <u>Square</u> end of frame with or without end of frame crossmember		0
Paint				
8500710	O	Standard Paint Color Selection		0
8530770	S	(1) Color Axalta Two Stage - Cab/Hood Base Coat/Clear Coat N85020 A - L0006EY WHITE N85500 CAB ROOF L0006EY WHITE N85300 FENDER L0006EY WHITE N85200 FRM1E L0001 EA BLACK N85400 HOOD TOP L0006EY WHITE		0

Shipping Destination

Options Not Subject To Discount

9400091	S	Peterbilt Class 7 Standard Coverage 1 year/Unlimited Miles/km	0
9408528	O	Allison Surcharge 3000 Series Transmission	0
9408634	O	SmartLINQ RD - 5YR Sub PACCAR PX Engines	0
9408640	O	Engine CARB State Of Registration	0

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



<i>Sales Code</i>	<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
9408701	0	Base Warr: Emissions (CARB Operation) 5YR/150K MI - PX-9 Engine		0
9408931	0	PDI At Excellence Peterbilt Location		0
Miscellaneous				
9409043	S	Aero Hood (MODEL 537)		0
9409055	0	State Of Registry: California		0
9409645	0	Model Year 2025 Engine		0
9409655	0	Peterbilt Motors Company		0
9409749	0	2024 Series Emissions Engine		0

Promotions

Special Requirements

Special Requirement 1 0098010

Special Requirement 2

Special Requirement 3

Special Requirement 4

Order Comments

Total List Price (W/O Freight & Warranty & Surcharges)

Marketing and Service Support Fee

Prepaid Freight

Total Surcharge/Options Not Subject To Discount

Total Weight (lbs)

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the Web site to preserve pricing accuracy, prices are subject to change

Price Level: January 1, 2025

100% Complete

Date: February 24, 2025

Deal: MODA MULTI DECK

Quote Number: QUO-1164704-K8T7T2

Printed On: 2/24/2025 3:55:16 PM



without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event shall we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebill/s to confirm your pricing information

Price Level: January 1, 2025

Deal: MODA MULTI DECK

Printed On: 2/24/2025 3:55:16 PM

100% Complete

Date: February 24, 2025

Quote Number: QUO-1164704-K8T7T2



Shipping Destinations

Intermediate Destination: PDI At Excellence

Final Destinations	Quantity

Price Level: January 1, 2025

Deal: MODA MULTI DECK

Printed On: 2/24/2025 3:55:16 PM

100% Complete

Date: February 24, 2025

Quote Number: QUO-1164704-K8T7T2