

VMQQR000

SALES ORDER PRINT
FOR CHASSIS 70503219

05/27/25 14:08:21 PAGE: 1

ATTN:

LAST C/O # 7 OF

UNIT TYPE: 2
VIN NUMBER: 1NPCL40XXLD705032
ACTUAL WEIGHT: 20,418.00 LBS

CUSTOMER/STOCK CODE: S
ENGINE SERIAL NO: 80188117

VEHICLE REQUIREMENTS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY UNITS.

**** APPLICATION DATA:

COMMODITY HAULED: 0091170 TRANSPORTATION EQUIPMENT

INTENDED SERVICE: 0093110 WRECKER

**** BODY DATA:

TYPE: 0095250 WRECKER

LENGTH: 264.00 IN HEIGHT: 162.00 IN MAX WGT: 7,500.00 LBS

**** TRAILER DATA:

TYPE:

LENGTH: 0.00 FT HEIGHT: 0.00 FT
KING PIN: 0.00 IN C/L OF AXLE GROUP:

VMQQR000

FOR CHASSIS 70503219

PAGE: 2

**** OPERATING AREA RESTRICTIONS:

LENGTH: 40.00 FT WIDTH: 102.00 IN
HEIGHT: 13.50 FT
OPERATING AREA (EXPORT):

**** DEALER ASSIGNED:

FRONT AXLE LOAD: 18,740.00 LBS REAR AXLE LOAD: 46,000.00 LBS
GROSS COMBINATION: 140,000.00 LBS

MAXIMUM GRADE (PERCENT): 6 PERCENT HIGHWAY USE: 87 PERCENT CLASS B: 10
PERCENT CLASS C: 3
PERCENT CLASS D: 0

WHEELBASE: 331.00 IN CAB TO AXLE: 240.90 IN
CAB TO END OF FRAME: 310.90 IN FRONT AXLE TO BOC: 90.10 IN

**** SPECIAL REQUIREMENTS:

0098010 CALIFORNIA REGISTRY

EPA CODE:

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 18,740.00 LBS
GAWR FIRST INTER 23,000.00 LBS SECOND INTER 23,000.00 LBS
GAWR REAR: 0.00 LBS
GVWR: 64,740.00 LBS

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

BASE MODEL

0005671	MODEL 567 CONVENTIONAL	P
0200700	NOT APPLICABLE	P
	SECONDARY MANUFACTURER	
0203020	IDENTICAL PREV FRAME LAYOUT CONFIRMED	U

FRAME AND EQUIPMENT

0519180	11-5/8" STEEL RAILS TO 444"	P
	3/8" RAIL THICKNESS	
0601700	10-3/4" X 3/8" FULL STEEL LINER	P
	USE W/11-5/8IN RAIL	
0611250	HD IRON FRONT SPRING BRKTS	P
	FORWARD & REAR	
0611790	ALUMINUM FRAME RAIL CROSSMEMBERS	P
	EXCLUDES SUSPENSION	
0644090	EOF SQUARE WITHOUT CROSSMEMBER	P
	USE WITH BODY BUILDER INSTALLED XMBR	

VMQQR000 FOR CHASSIS 70503219 PAGE: 3

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

0651010	PB REAR MUDFLAPS,PB HANGER STRAIGHT	P
---------	-------------------------------------	---

FRONT AXLE AND EQUIPMENT

1011360	DANA SPICER D2000F 20,000 LB, 3.5" DROP	P
1099990	FRONT AXLE APPROVED	U
N1090	FRONT AXLE APPROVED AE0006303SA	
1114030	TAPER LEAF SPRINGS, SHOCKS 20,000 LBS.	P
1233110	POWER STEERING TRW THP60 DUAL GEAR	P
1250250	POWER STEERING RESERVOIR, FRAME MOUNTED	P
	W/COOLER	
1353540	PHP10 ALUMINUM PRESET+ HUBS	P
1380070	GREASABLE FRONT SPRING PINS	P
1380210	FRONT AXLE WIDTH GREATER THAN 102"	U
	CONTACT APPLICATIONS IF UNACCEPTABLE	
1380280	BENDIX AIR CAM FRONT DRUM BRAKES 16.5X7	P
	16,000-23,000 LB STR OR FRT DRIVE	
1380380	TENNECO SHOCKS FOR STEER AXLE	P
1390600	30 MM FRONT SPRING SPACER BLOCKS	P
1391390	LONG STROKE BRAKES, FRONT AXLE	U
	NLA	
1391410	GUSSETED CAM BRACKETS, STEER AXLE	P
1392970	HEAVY DUTY CAM BUSHINGS, STEER AXLE	P

REAR AXLE AND EQUIPMENT

1523340	DANA SPICER D46-170 46,000 LBS.	U
1616300	PHP10 IRON PRESET+ HUBS	P
1632650	LONG STROKE PARKING BRAKES	U
	NLA	
1680280	BENDIX SMART ATC TRACTION CONTROL	P
1680450	REAR BRAKE CAMSHAFT REINFORCEMENT	P
1680460	HEAVY WALL, DRIVE AXLE(S)	P
1680470	LUBE PUMP, DRIVE AXLE(S)	P
1680490	GUSSETED CAM BRACKETS, DRIVE AXLE(S)	P
1680500	SBM VALVE	P
1680950	STABILITY SYSTEM NOT SELECTED	P
	OR NOT AVAILABLE	
1682420	ISO 3731 CONNECTOR TRAILER ABS POWER; MTD ADJACENT TO J560 TRAILER CONNECTOR	P
1682710	ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M	P
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P
1687090	DIFF LOCK TANDEM AXLES	P
	WITH SPEED INTERLOCK	
1704100	RATIO 4.10 REAR AXLE	P
1821640	PETERBILT AIR TRAC 46,000 LBS., 54" AS	P
1922260	DASH MTD DUMP SWITCH WITH INDICATOR	P
	LIGHT FOR SUSPENSION	

VMQQR000

FOR CHASSIS 70503219

PAGE: 4

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

ENGINE AND ENGINE EQUIPMENT

2059977	X15 565@1950 GOV@2000 1850@1150	U
	NLA	
2091140	CECU/VECU ELECTRONICS ARCHITECTURE	U
2091310	ENGINE IDLE SHUTDOWN TIMER DISABLED	P
2091315	ENABLE EIST AMBIENT TEMP OVERRULE	P
2091372	EFF EIST NA EXPIRATION MILES	P
2091640	EFFECTIVE VSL SETTING NA	P
2140200	CARB ENGINE IDLING COMPLIANCE	P
2140410	ENGINE BRAKE CONTROLS LOC ON RH COLUMN	P
2140470	REMOTE PTO/THROTTLE, 12-PIN, 250K EOF	P
	J1939, REMOTE CONTROL PROVISION	
N2132	N205 120...STANDARD MAXIMUM SPEED LIMIT	
N2133	N207 0.....EXPIRATION DISTANCE (N207)	
N2134	P112 120...HARD MAXIMUM SPEED LIMIT (P1	
N2135	P001 68...MAXIMUM ACCELERATOR PEDAL VE	
N2137	P059 68...MAXIMUM CRUISE SPEED (P059)	
N2140	N203 474...RESERVE SPEED FUNCTION RESET	
N2141	N202 0.....MAXIMUM CYCLE DISTANCE (N202	
N2142	N206 10...MAXIMUM ACTIVE DISTANCE (N20	
N2143	N201 0.....RESERVE SPEED LIMIT OFFSET (	
N2144	P015 YES...ENGINE PROTECTION SHUTDOWN (	
N2145	P026 NO....GEAR DOWN PROTECTION (P026)	
N2146	P046 1400..MAX PTO SPEED (P046)	
N2147	P062 NO....CRUISE CONTROL AUTO RESUME (	
N2148	P068 NO....AUTO ENGINE BRAKE IN CRUISE	
N2150	N209 0.....EXPIRATION DISTANCE (N209)	
N2151	P520 YES...ENABLE IDLE SHUTDOWN PARK BR	

N2152	P030 5.....TIMER SETTING (P030)	
N2153	P233 YES...ENABLE IMPENDING SHUTDOWN WA	
N2154	P234 60.....TIMER FOR IMPENDING SHUTDOWN	
N2155	P516 35.....ENGINE LOAD THRESHOLD (P516)	
N2157	P031 NO....IDLE SHUTDOWN MANUAL OVERRUL	
N2159	P230 YES...ENABLE HOT AMBIENT AUTOMATIC	
N2161	P172 40.....LOW AMBIENT TEMPERATURE THRE	
N2162	P173 60.....INTERMEDIATE AMBIENT TEMPERA	
N2163	P171 80.....HIGH AMBIENT TEMPERATURE THR	
2511480	240 AMP ALTERNATOR, 40SI BRUSHLESS	P
2521090	IMMERSION TYPE BLOCK HEATER 110-120V	P
	SEE SALES TOOL DESC FOR PLUG LOCATION	
2522110	PACCAR 12V STARTER	P
	N/A PACCAR MX ENGINES	
2538090	3 PACCAR PREMIUM 12V STARTING	P
	BATTERIES, 3000 CCA	
2539410	BATTERY JUMPER TERMINAL	P
	MTD UNDER HOOD LH FRAME RAIL	
2621000	2-SPEED FAN CLUTCH FOR FREQUENT	P
	START/STOPS	
2725270	37.4 CFM NATURALLY ASPIRATED AIR	P
	COMPRESSOR - (X15 ONLY)	
2812170	INTEBRAKE	P
	ISX/ISX15 (FURNISHED ON ENGINE)	

VMQQR000

FOR CHASSIS 70503219

PAGE: 5

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----
2921120	PACCAR FUEL/WATER SEPARATOR EXTENDED	P	
	SERVICE INTERVAL		
2921220	FUEL HEAT FOR FUEL FILTER	P	
2921320	12V HEAT FOR FUEL FILTER	P	
3010400	ENGINE PROTECTION SHUTDOWN	P	
	W/ LABEL		
3114270	HIGH EFFICIENCY COOLING SYSTEM	P	
3291680	(1) AIR CLEANER FIREWALL MTD	P	
3365340	EXHAUST DUAL SOC, LH SOC STACK	U	
	NLA		
3381770	CURVED TIP STANDPIPE(S)	P	
3381830	MUFFLER GUARD / FAIRING STAINLESS STEEL	P	
	HALF ROUND		
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P	
3387890	36" HT, 5" DIA STANDPIPE(S)	P	
	CHROME WITH CLEAR COAT		
TRANSMISSION AND CLUTCH			
4022200	EATON RTL018918B 18-SPEED	U	
	OIL-TO-WATER COOLER, INTERNAL PUMP		
4211530	SPL250 LITE HT DRIVELINE, 2 MIDSHIP	P	
	BEARINGS		
4216330	SPL170 XL DRIVELINE INTERAXLE	P	
	FOR TANDEM REAR AXLES		
4219990	DRIVELINE APPROVED	U	
4233900	(1) DASH MTD SINGLE ACTING EOA PTO CTRL	P	
	ELECTRIC OVER AIR		
4251950	NEUTRAL START SWITCH	P	
	MANUAL TRANSMISSION		
4256100	MANUAL SHIFTER, BLACK	P	

AIR AND TRAILER EQUIPMENT

4510330	BENDIX AD-IS EP AIR DRYER, HEATER	U
	NLAAFTER 10/19 REPLACE W/ 4510210	
4520420	PULL CORDS ALL AIR TANKS	P
4540260	DASH WINCH BRK SWCH TO OP (TRK/TRL BRK)	P
	A&E EOF ON MOVEABLE XMBR	
4540420	NYLON CHASSIS HOSE	P
4543340	ALUMINUM PAINTED AIR TANKS	P
4610920	SELF RETURNING BRAKE HAND VALVE	P
	DASH MOUNTED CONTROLS	

TIRES AND WHEELS

5064020	FF: BR 18PLY 385/65R22.5 M864	P
5166610	RR: BR 14PLY 11R22.5 M726ELA	U
5190008	CODE-REAR TIRE QTY 08.	
5220090	FF: ALCOA 823628 22.5X12.25 HIGH POLISH	P
	ALM; 2.75" INSET	
5321740	RR: ALCOA 883677 22.5X8.25 CLEAN BUFF	U
	NLA REPLACE W/5320710 AFT 3/2/20	

VMQQR000

FOR CHASSIS 70503219

PAGE: 6

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----
5390008	CODE-REAR RIM QTY 08.		
5407640	FF: MIRROR POLISH WHEELS, OUTER SURFACE	P	
	SGL OR TDM STEER, W/O CHROME WHEEL NUTS		
5407660	RR: MIRROR POLISH WHEELS, OUTER SURFACE	P	
	TANDEM DRIVE, W/O CHROME WHEEL NUTS		
5410140	FF: DURA-BRIGHT FINISH	P	
	OUTER SURFACE OF OUTER WHEEL		
5410160	RR: DURA-BRIGHT FINISH	P	
	TANDEM DRV;OUTER SURFACE OF OUTER WHEEL		

FUEL TANKS

5552100	26" ALUM 70 GAL FUEL TANK RH BOC	P
5554250	26" ALUM 120 GAL FUEL TANK LH U/C	P
	NON-SLIP FUEL TANK STEP LH U/C	
5602120	LOCATION LH UNDER CAB 120 GAL.	
5603070	LOCATION RH BEHIND CAB 070 GAL.	
5650490	FUEL COOLER	P
5650540	POLISH (1) NON-SLIP FUEL TANK STEP	P
	U/C TANK ONLY	
5650820	POLISH (2) ALUMINUM FUEL TANKS	P
5652830	POLISH ALL FUEL / HYDRAULIC TANK STRAPS	P
5652840	LOCKING FUEL TANK CAP(S)	P
5652890	DEF TANK MOUNTED LH BOC	P
5652990	DEF TO FUEL RATIO 2:1 OR GREATER	P
5653000	POLISHED SS COVER FOR DEF TANK	P
5655029	DEF TANK MEDIUM, 24 GAL	P

BATTERY BOX AND BUMPER

6010800	INSTALL BATTERIES ON TEMP PLYWD SUPPORT	P
	BOC MAX LENGTH BATTERY CABLES ALLOWABLE	
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP	P
	CAB ENTRY STEP	
6122910	STEEL TEXAS STYLE BUMPER CHROMED	P
	2 TOW POINTS	

CAB AND EQUIPMENT

6515770	VOC 121 BBC ALUMINUM CAB & METTON HOOD	P
	SFFA, SS CROWN & GRILLE W/TILT ASSIST	
6540160	THERMAL INSULATION PACKAGE IN CAB	P
6540660	SMARTSOUND CAB INSULATION PKG	P
6540740	PETERBILT KEYLESS ENTRY	P
6701785	44" LOW ROOF SLPR W/PRESTIGE INTERIOR	P
6800330	RUBBER FENDER LIPS 4.5" WIDE	P
6810035	SLEEPER WALKTHROUGH CURTAIN	P
6810245	POWER DOOR LOCK ON SLEEPER	P
	REQ W/PLATINUM INTERIOR, OPT W/PRESTIGE	
6811390	COIL SPRING MATTRESS	P
	WIDTH AND LENGTH VARY BY SLEEPER SIZE	
6812590	POLISHED STAINLESS STEEL SLEEPER VENTS	P
	IN PLACE OF PAINTED VENT	

VMQQR000

FOR CHASSIS 70503219

PAGE: 7

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----
6812790	LH FULL HEIGHT ACCESS DOOR WITH VENT	P	
6814250	THERMAL INSULATION PACKAGE	P	
	44/58" LOW/FLAT		
6911100	PETERBILT ST DRIVER	P	
6921140	PETERBILT ST PASSENGER SEAT	P	
6930500	DRIVERS ARMREST - RH ONLY	P	
6930590	PASSENGER ARMREST - LH ONLY	P	
6930800	BLACK SEAT COLOR IPO STD COLOR	P	
6939400	AIR RIDE DRIVER	P	
6939420	HIGH BACK DRIVER	P	
6939450	LEATHER DRIVER	P	
6939500	AIR RIDE PASSENGER	P	
6939520	HIGH BACK PASSENGER	P	
6939550	LEATHER PASSENGER	P	
7000025	STEERING WHEEL W/MULTI FUNCTION	P	
	WITH PB LOGO, AUDIO AND CC		
7001520	ADJUSTABLE STEERING COLUMN	P	
	TILT/TELESCOPE		
7037150	PREMIER INTERIOR - STERLING GRAY	P	
7040150	RUBBER FLOOR IPO CARPET - PLAT/PREMIER	P	
	INTERIOR FOR CAB		
7210200	FIXED REAR WINDOW BOS DARK TINT	P	
7230060	ONE-PIECE CURVED WINDSHIELD	P	
7230360	POWER DOOR LOCKS AND POWER WINDOW LIFTS	P	
	STANDARD		
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P	
7322030	SLPR HEAT/AIR COND W/CONTROLS IN SLPR	P	
	44" (REQUIRES 7322010)		
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL	P	
	N/A W/ 2.1M HR SLEEPER		
7510060	AERO REAR VIEW MIRROR HOUSING	P	
	BRIGHT FINISH		
7514010	PETERBILT AERO REAR VIEW MIRROR	P	
	MOTORIZED & HEATED W/INTEGRATED CONVEX		
7514050	LOOK DOWN MIRROR OVER PASSENGER DOOR	P	
	WITH BLACK HOUSING		
7620400	(2) PB AIR HORNS ROUND, 23" LENGTH	P	
	ROOF MTD, ROUND HORN SHIELD		
7725730	PREMIUM SPEAKER PACKAGE FOR CAB	P	
	(6) SPEAKERS (INCLUDES TWEETERS)		
7725785	PREMIUM SPEAKER PACKAGE FOR SLEEPER	P	

7740150	(2) SPKRS W/AMP; AVAIL W/44" SLPR ONLY CB TERMINAL WIRING, MICROPHONE CLIP, SPEAKER, F/O CB RADIO MTD CTR OF HEADER	P
7748740	(2) ANTENNAS FOR FACTORY INSTALLED OR F/O CB, MTD RH/LH SIDE OF ROOF	P
7749490	SIRIUS-XM SATELLITE RADIO SRV PROVIDER **NLA**	U
7788055	SMARTLINQ REMOTE DIAGNOSTICS	U
7789620	SMARTNAV WITH NAVIGATION	U
7850910	COMBO BUGSCREEN WINTERFRONT	P
7851480	PB ELEC WINDSHIELD WIPERS W/INTERMITTENT FEATURE	P

VMQQR000

FOR CHASSIS 70503219

PAGE: 8

CODE ----	DESCRIPTION -----	PUB CD 1683 -----
7852050	AUTO RESET CIRCUIT PROTECTION DAYCAB AND SLEEPER	P
7900090	TRIANGLE REFLECTOR KIT SHIP LOOSE	P
7900310	FIRE EXTINGUISHER, MTD OUTBOARD DRIVER SEAT	P
8011140	ENGINE OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U
8011150	MAIN TRANSMISSION OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U
8011160	DRIVE AXLE #1 FRONT OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U
8011170	DRIVE AXLE #2 REAR OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U
8012240	GUARD(S) FOR REAR AXLE HEAT GAUGE	P
8021410	GENERAL AIR PRESSURE 1 GAUGE ***NLA***	U
8021430	TRAILER RESERVOIR AIR PRESSURE GAUGE LOCATED IN SMARTNAV DISPLAY	U
8070010	UP TO (4) ADDITIONAL ELECTRIC SWITCHES WITHOUT WIRING	P
8070120	MANIFOLD PRESSURE, BOOST LOCATED IN SMARTNAV DISPLAY	U
8070170	DPF STATUS LOCATED IN SMARTNAV DISPLAY	U
8070180	FUEL ECONOMY LOCATED IN SMARTNAV DISPLAY	U
8070190	PERCENT TORQUE LOCATED IN SMARTNAV DISPLAY	U
8070260	SWITCH TO DEACTIVATE ATC TRACTION CONTROL	P
8070340	TRAILER BRAKE APPLICATION GAUGE LOCATED IN SMARTNAV DISPLAY	U
8071190	SLEEPER DIGITAL ALARM CLOCK	P
8071340	BRIGHT BEZEL GAUGES IPO BLACK	P
8071890	MAIN INSTRUMENT PANEL INC DRIVER INFORMATION DISPLAY	U
8072560	(1) ADDITIONAL DASH SWITCH WITH WIRING BEHIND DASH	P
8110070	HEADLIGHTS PROJECTOR MODULE POD FENDER MOUNTED TURN SIGNALS	P
8120990	(5) MARKER LIGHTS, AERO LED ON ROOF, VISOR, OR FAIRING	P
8132230	(2) 6" SPOTLIGHTS, ROUND HALOGEN LH/RH SWITCH ON DASH FOR RH ONLY	P

8133060	DASH SWITCH BATTERY POWER TO J560	P
	WITH KEY ON; WITH LIGHT INDICATOR	
8133900	NONE FURNISHED STOP/TAIL/BACKUP	P
8133960	DAYTIME RUNNING LIGHTS	P
	REQUIRED ON ALL CANADIAN VEHICLES	
8140650	PB SIGNATURE DOOR LIGHT TURN SIGNAL	U
8141010	WIRING FOR ADDITIONAL SET TURN SIGNALS	P
	MTD UNDER CORNERS CAB OR SLEEPER	

VMQQR000	FOR CHASSIS 70503219	PAGE: 9
----------	----------------------	---------

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	----

PAINT

8530780	(1) COLOR AXALTA TWO STAGE	P
	CAB/HOOD/SLEEPER	
N8502	A - SEE PAINT NARRATIVES	
N8520	FRAME SEE PAINT NARRATIVES	
N8530	FENDER SEE PAINT NARRATIVES	
N8540	HOOD TOP SEE PAINT NARRATIVES	
N8550	CAB ROOF SEE PAINT NARRATIVES	
N8560	SLEEPER ROO SEE PAINT NARRATIVES	
N8650	705032-705032 AA L3781EY VIPER RED	
N8651	705033-705033 AA L0006EY WHITE	
N8652	705032-705032 CR L3781EY VIPER RED	
N8653	705033-705033 CR L0006EY WHITE	
N8654	705032-705032 FE L3781EY VIPER RED	
N8655	705033-705033 FE L0006EY WHITE	
N8656	705032-705032 FR L0001EA BLACK	
N8657	705033-705033 FR L0001EA BLACK	
N8658	705032-705032 HT L3781EY VIPER RED	
N8659	705033-705033 HT L0006EY WHITE	
N8660	705032-705032 SR L3781EY VIPER RED	
N8661	705033-705033 SR L0006EY WHITE	
8999990	SHIPPING DESTINATION OTHER THAN DEALER	U
	(SPECIFY BY NARRATIVE)	

MISCELLANEOUS

9400090	PETERBILT CLASS 8 STANDARD COVERAGE	P
	1 YEAR/100,000 MILES (160,000 KM)	

